



Scan and find us



Tel: +86(755)8259-7092

Email: info@bigstarled.com

Website: www.bigstarled.com

Address: Building C, Tianyou Industrial Park, No. 2 Lixin Road, Qiaotou Community,
Fuhai Street, Bao'an District, Shenzhen 518103, China.




FC SERIES INDOOR COMMERCIAL LED DISPLAY



FC Series


Indoor Fixed LED Display

- Universal module
- Customized cabinet size
- 90 degree&cube&flexible display
- Wall mounting installation
- Support power&signal backup
- High brightness option 4,500nits





Customized cabinet size

- 1000*500/250mm
- 500*750/500/250mm
- 750*750/500/250mm




Different kind of cabinets can be spliced according to your creativity



Support power&signal backup

It helps you avoid the situation that power or signal are off due to the fault of a certain cabinet. Provide a more stable and reliable solution.



Conventional LED Display

LED Display with power&signal backup

90 degree display



Cube display, inspire unlimited imagination




Special-shaped display is become more popular and used in wide range of applications.

Flexible display



Cabinet Size



Product Parameter

Parameter	FC1.5	FC1.9	FC2.5
Pixel pitch(mm)	1.5	1.9	2.5
LED type	SMD1212	SMD1515	SMD2020
Pixel density(dots/m²)	409,600	262,144	160,000
Module size(mm)	250*250		
Module resolution(pixels)	160*160	128*128	100*100
Cabinet size(mm)	500*500		
Cabinet weight(kg)	5.4		
Brightness(nits)	≥ 600	≥ 800	≥ 800
Max power(w/m²)	450		
Average power(w/m²)	130		
Ingress protection	IP30		
Refresh rate(HZ)	3,840~7,680		
Maintenance	Front		
Parameter	FC2.6	FC2.9	FC3.9
Pixel pitch(mm)	2.6	2.9	3.9
LED type	SMD2020		
Pixel density(dots/m²)	147,456	112,896	65,536
Module size(mm)	250*250		
Module resolution(pixels)	96*96	84*84	64*64
Cabinet size(mm)	500*500		
Cabinet weight(kg)	5.4		
Brightness(nits)	≥ 800		
Max power(w/m²)	450		
Average power(w/m²)	130		
Ingress protection	IP30		
Refresh rate(HZ)	3,840~7,680		
Maintenance	Front		
Certification	ETL/CE/CB/FCC		

Note: Specifications are for reference only and are subject to change without notice.